



◆ SPECIFICATION

Model No.	TSC-IPCF60HL200
Item Code	20030
Camera	
Image Sensor	1/2.8" SONY Starvis Back-illuminated CMOS Sensor IMX290
Main Processor	Hi3516C
Resolution	2MP (1080P)
Effective Pixels	1945(H)*1097(V)
Compression	H.264/H.265/JPEG/AVI/MJPEG
TV System	PAL/NTSC
Electronic Shutter Time	Auto: PAL 1/25-1/10000Sec; NTSC 1/25-1/10000Sec
S/N Ratio	≥52dB
Scanning System	Progressive
Video Output	Network
Lens	
Focus Length	2.8-12MM
Focus Control	Manual
Lens Type	Manual
Pixels	3MP
Night Vision	
Infrared LED	42μx 4PCS
Infrared Distance	40M
IR Status	Under 10 Lux By CDS
IR Power On	CDS Auto Control
Network	

Ethernet	RJ-45 (10/100Base-T)
Protocol	TCP/IP,ICMP,HTTP,HTTPS,FTP,DHCP,DNS,DDNS,RTP,RTSP,RTCP,NTP,SMTP
ONVIF	Support ONVIF 2.4
P2P	YES, Support QR Code
POE	Internal PoE, Support IEEE 802.3af
SD Card Slot	Support 64G Micro SD Card Max
Wifi	/
Video Delay	0.3S (Within the Lan)
Main Stream 1	1920*1080@30fps
Main Stream 2	/
Main Stream 3	/
Sub Stream 1	720*480@30fps
Sub Stream 2	/
Sub Stream 3	/
Tri Stream	352*288@30fps
IE Brower	IE8-11, Google Chrome, Firefox, Safari, Mac Safari
Smart Phone	iPhone, iPad, Android, Android Pad

Camera Features

Day/Night	Color/ B&W (IR-CUT)
Image Config	Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, FLK(Flicker Control)
Corridor Pattern	Support
ROI	Support
Defog Mode	Support
BLC	Support
HDR	/
WDR	Support
Motion Detection	Support
Privacy Masking	3 Rectangular Zone
Recording Mode	NVR/NAS/CMS/Web
Language	Chinese Simplified, Chinese Traditional, English, Bulgarian, Polish, Farsi, German, Russian, French, Korean, Portuguese, Japanese, Turkish, Spanish, Hebrew, Italian,Nederlands

General

Housing	IP66
Anti-cut Bracket	NO

IR Cut Filter	YES
Operation Temperature	-20°C ~ +60°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%,1100MA
Dimension	275(W) x 91(H) x 80(D)mm
Weight	1.4Kg

Technology Shop Corporation

Add. :7250 NW 31ST STREET, MIAMI FL 33122, USA

Tel: (786)336-0708 Fax: (786)336-0709 Homepage: <http://www.tsc-usa.com> Email: info@tsc-usa.com