



# TSC-IR60HTC500FS

31002

<b>Image Sensor</b>	1/2.9" SONY 6MP Starvis Back-illuminated CMOS sensor
<b>Effective Picture Elements (H×V)</b>	5MP: 2592(H)×1944(V); 4MP: 2560(H)*1440(V)
<b>Horizontal Resolution</b>	5MP
<b>Video Output</b>	AHD 5M/ TVI 5M/ CVI 4M/ CVBS
<b>Minimum Illumination</b>	0.01 Lux /F2.0
<b>S/N Ratio</b>	More than 50dB
<b>Synchronous System</b>	Internal
<b>Electronic Shutter</b>	1/25s~1/50,000s , 1/30s~1/60,000s
<b>Gama Characteristic</b>	0.45
<b>IR Distance</b>	40 meters with 42μ x 4PCS Infrared LED
<b>IR Status</b>	Under 10 Lux by CDS
<b>IR Power On</b>	CDS Motor Control
<b>OSD/ UTC Support</b>	Yes
<b>Other Functions</b>	DWDR, 3DNR, IR-Cut, Auto Gain Control, White Balance
<b>Power/Current</b>	DC12V(+/-10%)/700mA
<b>Lens</b>	2.8-12mm Manual Zoom Lens
<b>Housing</b>	IP66
<b>Dimension (mm)</b>	211(W) x 92(H) x 90(D)
<b>Weight (g)</b>	1400
<b>Storage Temperature</b>	-30~+60℃ RH95% MAX
<b>Operating Temperature</b>	-10~+50℃ RH95% MAX